



BRYX.R14462 Foamed Plastic

[Page Bottom](#)

Foamed Plastic

[See General Information for Foamed Plastic](#)

OPCO INC

R14462

HARRISON AVE
PO BOX 101
LATROBE, PA 15650 USA

Foamed plastic in the form of boards.

	5 In. Max +
Flame spread	15 #
Smoke developed	300 #

+ - Installed in a thickness or stored in an effective thickness, as indicated, for a density of 1.00-2.00 lb/cu. ft.

- Flame spread and smoke developed recorded while material remained in the original test position. Ignition of molten residue on the furnace floor resulted in flame travel equivalent to calculated flame spread Classification of 145 and smoke developed Classification of over 500.

	2 In. Thk Max +
Flame spread	10#
Smoke developed	45-125#

+Installed in a thickness or stored in an effective thickness, as indicated, for a density of 1.00 lb/cu ft.

#Flame spread and smoke developed recorded while material remained in the original test position. Ignition of molten residue on the furnace floor resulted in flame travel equivalent to calculated flame spread classification of 35 and smoke developed classification of 450.

[Last Updated](#) on 2008-05-09

[Questions?](#)

[Print this page](#)

[Terms of Use](#)

[Page Top](#)

© 2017 UL LLC

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2017 UL LLC".